relinea®

Reliable, Resourceful.

ENGINEERING TECHNICAL EVALUATION · MATERIALS SELECTION

GRP vs Steel in Wastewater



What Should the Designer Consider?

Specification Guide · Asset Lifecycle & Structural Design · Relinea

01 · OPERATING CONTEXT


Wastewater is one of the harshest environments to build in

Constant chemical exposure, moisture, and aggressive bacterial activity create operating conditions that rapidly degrade conventional infrastructure.

Aggressive environment: Corrosive gases, chemical exposure, constant moisture, and harsh operating regimes.

Critical assets at risk: Severe degradation pressure falls on pipes, chamber covers, access platforms, walkways, and primary structural elements.

The specification shift: Steel remains the traditional default; GRP provides an engineered, corrosion-resistant alternative.



02 · CHEMICAL DURABILITY


Corrosion and chemical resistance are GRP's fundamental advantage

H_2S, moisture and sulphuric acid attack exposed materials in sewers, pumping stations and treatment works

Steel depends on galvanising, coatings or linings that need inspection and maintenance; damage exposes the steel

GRP's resistance is inherent in the composite; resin type, laminate and manufacturing quality decide suitability

Verify against actual exposure: H_2S conditions, cleaning agents, process chemicals



75%

Lighter Than Steel

A structural weight delta that transforms site transport, lifting logistics, and handling safety.

03 · WEIGHT DELTA

Direct Operational Impact on Site Delivery

Transport & haulage: Substantially lower tare weights per vehicle reduce transport runs to remote pumping stations and rural treatment sites.

Manual handling safety: Standard sections and covers can often be positioned manually by two workers without mobile crane hire.

Lifting assessments: Reduced lifting requirements simplify lifting plans and shorten equipment turnaround, subject to project-specific lifting checks.

Lighter components simplify installation and retrofit

Confined space & restricted access


Pumping stations and deep underground chambers often prohibit mobile cranes; lightweight profiles can be lowered by hand or light hoists.

Prefabricated modular assemblies

Offsite fabrication delivers complete ladders, flooring panels, and handrails ready for rapid mechanical anchoring on arrival.

Elimination of hot works

No on-site welding, grinding, or re-galvanising. Standard mechanical fasteners remove explosive atmosphere hot-work permits in live sewers.



Early consideration in the design phase allows planners to streamline lifting equipment and shrink possession windows.

Structural performance: strength without unnecessary weight, specified to standards

Design checks

High strength-to-weight ratio, engineered through fibre orientation, laminate thickness, resin and geometry.

Loads, deflection, buckling, supports and connections, temperature.

GRP needs composite design principles; it does not replace steel in every application.

Confirm test evidence and compliance; specify on performance for both materials.

06 · ASSET ECONOMICS

Whole-life cost matters

Steel in corrosive conditions: coating inspections, repairs, refurbishment, eventual replacement

GRP reduces corrosion protection spend, coating interventions and disruption

GRP is generally cheaper than steel from the outset

Assess installation, protection, inspection, maintenance, refurbishment and replacement together



Sustainability needs a full lifecycle view

GRP

Lifecycle considerations

Lower weight cuts transport and handling; fewer coating and refurbishment cycles.

GRP recycling routes are available.

STEEL

Project assessment

Established recycling infrastructure.

Assess embodied carbon, service life, maintenance, transport distance and end-of-life with project data.

08 · SUMMARY & RECOMMENDATIONS

Designing for long-term performance

75% lower weight, inherent corrosion resistance, less reliance on protective systems

Consider GRP from the outset in suitable applications

Relinea: better material choices start with understanding the demands of the environment

relinea®

Reliable, Resourceful.

Tel: +44 (0) 28 9447 0010
www.relinea.com